



# Morton Academy

The best in everyone™

Part of United Learning

RMCG/KRE

8<sup>th</sup> December 2022

Dear Parents/Carers

I wanted to share the below update with you from Public Health England regarding the rise in cases of Scarlet Fever and Group A Strep. We have had few confirmed cases of illness in school so far linked to Scarlet Fever. But I would like us all to be as vigilant as possible. We will continue to promote good hand washing regimes and monitor students closely. We share this information purely to keep you all as informed as possible. We will update you if we have any cause to suspect an increase in cases in school and any further actions we might need to take. As always we remain in contact with Public Health England and will do everything we can to protect our community.

Yours sincerely

Richard McGuire  
Principal

## **UKHSA update on Scarlet Fever and invasive Group A strep**

[UKHSA update on scarlet fever and invasive Group A strep - GOV.UK \(www.gov.uk\)](https://www.gov.uk/government/news/ukhsa-update-on-scarlet-fever-and-invasive-group-a-strep)

The latest data from UKHSA show that scarlet fever cases continue to remain higher than we would typically see at this time of year. There were 851 cases reported in week 46, compared to an average of 186 for the preceding years.

Scarlet fever is usually a mild illness, but it is highly infectious. Therefore, look out for symptoms in your child, which include a sore throat, headache, and fever, along with a fine, pinkish or red body rash with a sandpapery feel. On darker skin the rash can be more difficult to detect visually but will have a sandpapery feel. Contact NHS 111 or your GP if you suspect your child has scarlet fever, because early treatment of scarlet fever with antibiotics is important to reduce the risk of complications such as pneumonia or a bloodstream infection. If your child has scarlet fever, keep them at home until at least 24 hours after the start of antibiotic treatment to avoid spreading the infection to others.

Scarlet fever is caused by bacteria called group A streptococci. These bacteria also cause other respiratory and skin infections such as Strep throat and impetigo.

/cont'd

Richard Rose Morton Academy, Wigton Road, Carlisle CA2 6LB

t 01228 822644 • e [info@rrma.org.uk](mailto:info@rrma.org.uk) • [www.rrma.org.uk](http://www.rrma.org.uk)

Richard Rose Morton Academy is part of United Learning. United Learning comprises: UCST (Registered in England No: 2780748. Charity No. 1016538) and ULT (Registered in England No. 4439859. An Exempt Charity). Companies limited by guarantee. VAT number 834 8515 12. Registered address: United Learning, Worldwide House, Thorpe Wood, Peterborough, PE3 6SB.





# Morton Academy

The best in everyone™

Part of United Learning

In very rare occasions, the bacteria can get into the bloodstream and cause an illness called invasive Group A strep. Whilst still uncommon, there has been an increase in invasive Group A strep cases this year, particularly in children under 10. There were 2.3 cases per 100,000 children aged 1-4 compared to an average of 0.5 in the pre-pandemic seasons (2017 to 2019) and 1.1 cases per 100,000 children aged 5-9 compared to the pre-pandemic average of 0.3 (2017 to 2019) at the same time of the year.

So far this season there have been 5 recorded deaths within 7 days of an iGAS diagnosis in children under 10 in England. During the last high season for Group A Strep infection (2017/18) there were 4 deaths in children under 10 in the equivalent period.

Investigations are also underway following reports of an increase in lower respiratory tract Group A Strep infections in children over the past few weeks, which have caused severe illness.

Currently, there is no evidence that a new strain is circulating. The increase is most likely related to high amounts of circulating bacteria and social mixing

There are lots of viruses that cause sore throats, colds and coughs circulating. These should resolve without medical intervention. However, children can on occasion develop a bacterial infection on top of a virus and that can make them more unwell.

As a parent, if you feel that your child seems seriously unwell, you should trust your own judgement. Contact NHS 111 if or your GP if:

- your child is getting worse
- your child is feeding or eating much less than normal
- your child has had a dry nappy for 12 hours or more or shows other signs of dehydration
- your baby is under 3 months and has a temperature of 38C, or is older than 3 months and has a temperature of 39C or higher
- your baby feels hotter than usual when you touch their back or chest, or feels sweaty
- your child is very tired or irritable

Call **999** or go to A&E if:

- your child is having difficulty breathing – you may notice grunting noises or their tummy sucking under their ribs
- there are pauses when your child breathes
- your child's skin, tongue or lips are blue
- your child is floppy and will not wake up or stay awake

Good hand and respiratory hygiene are important for stopping the spread of many bugs. By teaching your child how to wash their hands properly with soap for 20 seconds, using a tissue to catch coughs and sneezes, and keeping away from others when feeling unwell, they will be able to reduce the risk of picking up, or spreading, infections.

**Dr Colin Brown, Deputy Director, UKHSA, said:**

/cont'd



# Morton Academy

The best in everyone™

Part of United Learning

“We are seeing a higher number of cases of Group A strep this year than usual. The bacteria usually causes a mild infection producing sore throats or scarlet fever that can be easily treated with antibiotics. In very rare circumstances, this bacteria can get into the bloodstream and cause serious illness – called invasive Group A strep (iGAS). This is still uncommon however it is important that parents are on the lookout for symptoms and see a doctor as quickly as possible so that their child can be treated and we can stop the infection becoming serious. Make sure you talk to a health professional if your child is showing signs of deteriorating after a bout of scarlet fever, a sore throat, or a respiratory infection.”

**Claire King**

Consultant in Public Health

